

List of All Chemicals

P *Cornus florida* (Cornaceae)

Common name(s)

American Dogwood

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
ASH	Seed	--	36000.0	-0.36	*

BETULINIC-ACID	Bark	--	20000.0	2.0	Jim Duke's personal files.
----------------	------	----	---------	-----	----------------------------

Activities (22)

Anthelmintic

AntiHIV EC50=2.0 ug/ml Kashiwada, Y., et al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

AntiHIV IC50=6.5 ug/ml

AntiHIV 14.8 uM

Antibacterial

Anticancer Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Anticarcinomic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antiedemic

Antiinflammatory Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.

Antileukemic

Antimalarial IC50=19-26 ug/ml

Antimelanomic New York Times, 3/28/95.

Antinociceptive

Antiplasmodial IC50=19-26 ug/ml

Antitumor Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antiviral 14.8 uM

Apoptotic

Cytotoxic 50-100 ppm Biosyn. Prod. Cancer Chemotherapy (Petit et al)

Cytotoxic 16.4 uM

Phospholipase-A2-Inhibitor

Prostaglandin-Synthesis-Inhibitor 200 ug/ml Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from Alphitonia zizyphoides which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.

Prostaglandin-Synthesis-Inhibitor IC50=101 uM Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.

BETULINIC-ACID	Bark	--	20000.0	2.0	Pavannasivam, G., & M.U.S. Sultanbawa. 1974. Betulinic acid in the Dilleniaceae and a review of its natural distribution. Phytochem. 13:2002-2006.
----------------	------	----	---------	-----	--

Activities (22)

Anthelmintic

AntiHIV EC50=2.0 ug/ml Kashiwada, Y., et al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

AntiHIV IC50=6.5 ug/ml

AntiHIV 14.8 uM

Antibacterial

Anticancer Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Anticarcinomic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antiedemic

Antiinflammatory Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.

Antileukemic

Antimalarial IC50=19-26 ug/ml

Antimelanomic New York Times, 3/28/95.

Antinociceptive

ug/ml					
Antitumor					Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM					
Apoptotic					
Cytotoxic 50-100 ppm					Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM					
Phospholipase-A2-Inhibitor					
Prostaglandin-Synthesis-Inhibitor 200 ug/ml					Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from <i>Alphitonia zizyphoides</i> which Inhibits Prostaglandin Biosynthesis in vitro. <i>Phytochemistry</i> , 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM					Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.

CALCIUM Plant -- -- *

Activities (28)

AntiPMS 1 g/day					
Antiallergic 500 mg/day					
Antianxiety					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Antiarrhythmic 500-1,500 mg					
Antiarthritic 1,000 mg/day					
Antiatherosclerotic 500 mg/day					Werbach, M. 1993. <i>Healing with Food.</i> Harper Collins, New York, 443 pp.
Anticlimacteric 1,000-1,500 mg/day					
Antidepressant					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Antidote (Aluminum)					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Antidote (Lead)					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Antihyperkinetic					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Antihypertensive					
Antiinsomniac					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Antimenopausal 1,000-1,500 mg/day					
Antiobesity					
Antiosteoporotic 500-2,000 mg/day					
Antiperiodontitic 750 mg/day					Werbach, M. 1993. <i>Healing with Food.</i> Harper Collins, New York, 443 pp.
Antirheumatic 1,000 mg/day					
Antistress 500-1,500 mg/day					
Antitic					Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine.</i> Avon Books, New York. 509pp.
Anxiolytic 500-1,500 mg/day					
Calcium-Channel-Blocker					
Diuretic					
Hypocholesterolemic 500 mg/day					Werbach, M. 1993. <i>Healing with Food.</i> Harper Collins, New York, 443 pp.
Hypotensive 1 g/day					Werbach, M. 1993. <i>Healing with Food.</i> Harper Collins, New York, 443 pp.
Laxative 1,000-1,200 mg					
Tranquilizer 500-1,500 mg/day					
Vasodilator					

CARBOHYDRATES Seed -- 733000.0 0.83 *

FAT Seed 24000.0 494000.0 1.2 *

FIBER Seed -- 160000.0 0.2 *

Activities (15)

Angiotensin-Receptor-Blocker					
Antidiabetic					
Antihypertensive					
Antiobesity					
Antitumor					Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine.</i> John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiulcer					Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine.</i> John Bastyr College Publications, Seattle, Washington (Looseleaf).
Beta-Blocker					
Cancer-Preventive					Stitt, P. A. <i>Why George Should Eat Broccoli.</i> Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective					
Diuretic					
Hypocholesterolemic					
Hypotensive 10 g/man/day/orl					Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine.</i> John Bastyr College Publications, Seattle, Washington (Looseleaf).
Hypouricemic					
Laxative					
Vasodilator					

GALLIC-ACID Bark -- -- *

ACTIVITIES (62)

ACE-Inhibitor IC50=7.7 mM/l	
Analgesic	
AntiHIV	
AntiMRSA	
Antiadenovirus	Economic & Medicinal Plant Research, 5: 194.
Antiallergenic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? Int Arch Allergy Appl Immunol 94: 262-265, 1991.
Antianaphylactic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiangiogenic	
Antiasthmatic	Watt, J.M., and Breyer-Brandwijk, M.G. The Medicinal and Poisonous Plants of Southern and Eastern Africa. 1962.
Antibacterial MIC=1,000 ug/ml	
Antibronchitic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? Int Arch Allergy Appl Immunol 94: 262-265, 1991.
Anticancer	
Anticarcinomic ED50=3	
Antiescherichic	
Antifibrinolytic	Economic & Medicinal Plant Research, 1: 53.
Antiflu	Economic & Medicinal Plant Research, 5: 194.
Antihepatotoxic	Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. Phenolic Compounds in Food and Their Effects on Health, Ch.7 p.93.
Antiherpetic EC50=>10 ug/ml	
Antiinflammatory	Kroes, B.H., et al. 1991. Anti-Inflammatory Activity of Gallic Acid. Planta Medica, 58(6): 499.
Antileishmanic EC50=4.4 ug/ml	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosaminic	
Antioxidant IC44=33 ppm	
Antioxidant 7 x quercetin	
Antioxidant 2/3 BHA	
Antiperiodontitic 10 ug/ml	
Antiperoxidant IC50=69 uM	
Antipolio	Economic & Medicinal Plant Research, 5: 194.
Antiproteolytic 10 ug/ml	
Antiradicular 7 x quercetin	
Antiradicular IC50=4.9 uM	
Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antistaphylococcic MIC=1,000 ug/ml	
Antitumor	
Antitumor-Promoter	
Antiviral	
Apoptotic	
Astringent	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Bacteristat	Lamikanra, A., Ogundaini, A.O., and Ogungbamila*, F.O. Antibacterial Constituents of Alchornea cordifolia Leaves. Phytotherapy Research 4(5): 198.
Bronchodilator	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Carcinogenic	
Choleretic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cyclooxygenase-Inhibitor	
Cytotoxic 500 uM	
Floral-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Gram(+)icide MIC=1,000 ug/ml	
Gram(-)icide MIC=1,000 ug/ml	
Hemostat	
Hepatoprotective	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Immunomodulator	
Immunostimulant	McKenna, D. J., Hughes, K., and Jones, K. 2000. Green Tea Monograph. Alternative Therapies, 6(3): 61-82.
Immunosuppressant	

Myorelaxant	pp. Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
NO-Inhibitor IC-26=250 uM	
Nephrotoxic	Martindale's 29th
Pesticide	
Styptic	
Topoisomerase-I-Inhibitor	Hamada, S. I., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., Otake, N., Nagai, K. 1997. Immunosuppressive Effects by Gallic Acid and Chebulagic Acid on CTL-Mediated Cytotoxicity. Biol Pharm Bull, 20: 1017-1019.
Xanthine-Oxidase-Inhibitor IC50=24 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. Chem. Pharm. Bull. 38(5): 1224-1229

INOSITOL Flower -- -- *

Activities (8)	
Antialopecic	
Anticirrhotic	
Antidiabetic?	Martindale's 29th
Antineuropathic? 2 g/day	Werbach, M. 1993. Healing with Food. Harper Collins, New York, 443 pp.
Cholesterolytic 2,000 mg/man/day	
Lipotropic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Sweetener	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Ubiquiot	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.

KAEMPFEROL Flower -- -- *

Activities (75)	
11B-HSD-Inhibitor	
5-Lipoxygenase-Inhibitor IC50 (uM)=20	
Aldose-Reductase-Inhibitor 100 uM	Oliveira, T. T., Nagem, T. J., Miranda, L. C. G., Paula, V. F., Teixeira, M. A. 1997. Inhibitory Action on Aldose Reductase by Soybean Flavonoids. J Braz Chem Soc, 8(3): 211-213.
Antiaflatoxin IC50=8.73 uM	
Antiaflatoxin IC50=3.28 ppm	
Antiagregant 30 uM	
Antiallergic	
Antibacterial 20 ug/ml	
Anticancer	
Antifertility 250 mg/kg/day/60 days/orl rat	Kumar, P., Dixit*, V.P., and Khanna, P. Antifertility Studies of Kaempferol: Isolation and Identification from Tissue Culture of some Medicinally Important Plant Species. Plantes medicinales et phytotherapie, 23: 193-201, 1989.
Antigingivitic 20 ug/ml	
Antiherpetic 23-92 ug/ml	Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. J. of Natural Products 55(12):1732-1740, 1992.
Antihistaminic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiimplantation	
Antiinflammatory 20 mg/kg	
Antiinflammatory 200 mg/kg ipr rat	
Antileukemic IC50=3.1 ug/ml	Life Sciences 55: 1061.
Antilymphocytic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic ID50=10-40 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antioxidant IC50=40 uM	
Antioxidant 3/4 quercetin	
Antioxidant IC50=1.2 ug/ml	
Antiperiodontic 20 ug/ml	
Anti plaque 20 ug/ml	
Antiradicular 7 x quercetin	
Antiseptic 20 ug/ml	
Antiserotonin 200 mg/kg ipr rat	
Antispasmodic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antistaphylococcic	
Antitumor	

Antilcer 50-200 mg/kg ipr rat	
Antiviral 23-92 ug/ml	
Apoptotic 60 uM	
Aromatase-Inhibitor IC12=1 uM/l	Journal of Medicinal Food 2: 235.1999.
COX-2-Inhibitor	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.
Choleretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Copper-Chelator	
Cyclooxygenase-Inhibitor IC50 (uM) =20	
Cytotoxic	
Diaphoretic?	Lawrence Review of Natural Products, Dec-90.
Diuretic	
Estrogenic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
Estrogenic EC50=0.56 uM	
Fungicide 20 ug/ml	Father Nature's Farmacy: The aggregate of all these three-letter citations.
HIV-RT-Inhibitor IC50=50-150 ug/ml	Garcia, J., Morin,* C., Nyasse, B., Sondengam, B-L, Tchouankeu, J-C., and Tsamo, E. Complete Structural Assignments Of An Ergosterol Derivative From Entandrophragma utile. Journal of Natural Products, 54(1): 136-142, 1991.
Hepatoprotective IC50=5.46 uM	
Hepatoprotective IC50=1.30 ppm	
Hypotensive	
ICAM-1-Inhibitor	
Inotropic	
Iodothyronine- Deiodinase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
JNK-Inhibitor	
Lipoxygenase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
MAO-Inhibitor	
Mutagenic	
NO-Inhibitor IC50=13.9 uM	
Natriuretic	
Neuroprotective	
PAF-Inhibitor	
Pesticide	
Protisticide	Meckes, M., Calzada, F., Tapia-Contreras, A., Cedillo-Rivera, R. 1999. Antiprotozoal Properties of Helianthemum glomeratum. Phytotherapy Research, 13(2): 102-105.
Quinone-Reductase- Inducer 3 uM	
TNF-alpha-Inhibitor IC50=3.99 uM	
Teratologic	
Topoisomerase-I- Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. Toxicol Ind Health, 14: 223-237.
Topoisomerase-II- Inhibitor IC50=8.1 ug/ml	Constantinou, A., Mehta, R., Runyan, C., Rao, K., Vaughan, A., Moon, R. 1995. Flavonoids as DNA Topoisomerase Antagonists and Poisons: Structure-Activity Relationships. J Natural Products, 58: 217-225.
Tyrosinase-Inhibitor ID50=230 uM	
Uterotrophic EC50=0.1- 25 uM/l	Journal of Medicinal Food 2: 227.1999.
Vasodilator	
cAMP- Phosphodiesterase- Inhibitor	
iNOS-Inhibitor IC50=<15 uM	
iNOS-Inhibitor IC50=13.9 uM	

N-NONACOSANE Flower -- -- *

Activities (1)

Antimutagenic Economic & Medicinal Plant Research, 6: 235.

PHOSPHORUS Seed -- 1500.0 -1.02 *

Activities (4)

Antiosteoporotic Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.

Immunostimulant	Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine</i> . Avon Books, New York. 509pp.
Osteogenic	Davies, S., and Stewart, A. 1990. <i>Nutritional Medicine</i> . Avon Books, New York. 509pp.

PROTEIN	Seed	23000.0	390000.0	1.39	*
QUERCETIN	Flower	--	--		*

Activities (176)					
11B-HSD-Inhibitor					
5-Lipoxygenase-Inhibitor IC50 (uM)=4					
ATPase-Inhibitor	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.				
Aldehyde-Oxidase-Inhibitor IC70-96=10 uM					
Aldose-Reductase-Inhibitor 100 uM					
Aldose-Reductase-Inhibitor 4 ug/ml	Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. <i>Sankyo Kenkyusho Nempo</i> , 43: 99-110.				
Aldose-Reductase-Inhibitor IC50=0.84 ug/ml cow	Okada, Y, et al. 1995. Search for Naturally Occurring Substances to Prevent the Complications of Diabetes. II. Inhibitory Effect of Coumarin and Flavonoid Derivatives on Bovine Lens Aldose Reductase and Rabbit Platelet Aggregation. <i>Chem Pharm Bull</i> 43(8):1385-1387				
Aldose-Reductase-Inhibitor IC50=0.344 uM	Mao, X. M., Zhang, J. Q. 1993. Inhibition of Aldose Reductase by Extracts of Chinese Herbal Medicine. <i>Zhongguo Zhongyao Zazhi</i> , 18(10): 623-624.				
Allelochemic IC82=1 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.				
Allergenic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Analgesic					
AntiCrohn's 400 mg/man/3x/day	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).				
AntiGTF ID50=120 ug/ml					
AntiHIV					
AntiPMS 500 mg/2x/day/wmn	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).				
Antiaflatoxin IC50=25 uM					
Antiaflatoxin IC50=7.5 ppm					
Antiaggregant IC50=55 uM	Economic & Medicinal Plant Research, 5: 333.				
Antiaggregant 30 uM					
Antianging					
Antiallergic IC50=14 uM	Jim Duke's personal files.				
Antialzheimeran					
Antianaphylactic	Meli, R., Autore, G., Di Carlo, G., Capasso, F. Inhibitory Action of Quercetin on Intestinal Transit in Mice. <i>Phytotherapy Research</i> 4(5): 201, 1990.				
Antiangiogenic					
Antiarthritic					
Antiasthmatic IC50=14 uM					
Antiatherosclerotic					
Antibacterial	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Anticarcinomic (Breast) IC50=1.5 uM	Medline (post 1990 searches filed in my computer)				
Anticariogenic ID50=120 ug/ml					
Anticataract					
Anticolitic 400 mg/man/3x/day	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).				
Anticomplementary					
Anticystitic 1,000 mg/day/4 weeks					
Antidepressant					
Antidermatitic	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).				
Antidiabetic					
Antielastase IC50=0.8 ug/ml					
Antiencephalic	Economic & Medicinal Plant Research, 5: 199.				
Antiescherichic					
Antiestrogenic					
Antifeedant IC52=<1,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.				
Antifibrosarcomic					
Antiflu	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. <i>Advances in Medicinal Plant Research</i> . Wiss. Verlag. Stuttgart.				
Antigastric	Rastitel'nye Resursy, 21: 85.				
Antigonadotropic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Antihepatotoxic	Joyeux, M., Rolland, A., Fleurentin, J., Mortier, F., and Dorfman, P. 1989. Tert-Butyl Hydroperoxide-Induced Injury in Isolated Rat Hepatocytes: A Model for Studying Anti-Hepatotoxic Crude Drugs. <i>Planta Medica</i> 56(2): 171-173, 1990.				

ug/ml

Antihistaminic IC50=<10 uM	
Antihydrophobic	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.
Antihypertensive	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory 20-150 mg/kg	Fitoterapia No.5-1990.
Antileishmanic IC50=64	
Antileukemic IC50=10 uM	Economic & Medicinal Plant Research, 5: 225.
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.
Antileukemic 5.5-60 uM	
Antileukotriene	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antilipoperoxidant IC67=50	
Antimalarial IC50=1-6.4 ug/ml	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Antimelanomic	
Antimetastatic	
Antimutagenic ID50=2-5 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antimutagenic ID50=0.62 ug/ml	
Antimyocarditic	Economic & Medicinal Plant Research, 5: 199.
Antinitrosaminic	
Antinociceptive	
Antioxidant IC96=300 ppm	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antioxidant ED50=2.3 uM	Seidel, V., Verholle, M., Malard, Y., Tillequin, F., Fruchart, J-C., Duriez, P., Bailleul, F., Teissier, E. 2000. Phenylpropanoids from <i>Ballota nigra</i> L. Inhibit in vitro LDL Peroxidation. <i>Phytotherapy Research</i> , 14(2): 93-98.
Antioxidant 4.7 x Vit. E	
Antioxidant IC47=10 uM	
Antipancreatic	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Antiperiodontal	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiperistaltic	
Antipermeability	
Antiperoxidant	Planta Medica, 57: A110, 1991.
Antipharyngitic	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiplaque	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiplasmodial IC50=13-64	
Antipodriac	
Antipolio	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiproliferant 10 nM	
Antiprostanoid	
Antiprostatic	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Antipsoriac	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiradicular IC50=4.6 uM	Planta Medica, 56(6): 695, 1990.
Antispasmodic	
Antistreptococcic ID50=120 ug/ml	
Antithiamin	Phenolic Compounds in Food and Their Effects on Health, 69.
Antithrombic	
Antitrypanosomic IC50=13	
Antitumor 10 uM	
Antitumor (Bladder)	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Lung)	
Antitumor (Ovary)	
Antitumor (Skin) 20 uM	
Antitumor-Promoter	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiulcer	
Antiviral IC50=10 uM	Economic & Medicinal Plant Research, 5: 225.
Antiviral 48-150 ug/ml	Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. <i>J. of Natural Products</i> 55(12):1732-1740, 1992.
Apoptotic 20-60 uM	
Bacteristat 10 mg/ml	
Bradycardiac	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
COMT-Inhibitor	
COX-2-Inhibitor <40 uM	
Calmodulin-Antagonist	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Candidicide	
Capillariprotective	Merck 11th Edition
Carcinogenic 40,000 ppm (diet) mus	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Catabolic	
Copper-Chelator	
Cyclooxygenase-Inhibitor	
Cytochrome-P450-1A2-Inhibitor	
Cytotoxic ED50=70 ug/ml	Matsukawa, Y., et al. The Effect of Quercetin and Other Flavonoids on Cell Cycle Progression and Growth of Human Gastric Cancer Cells. <i>Planta Medica</i> , 56(6): 677, 1990.
Cytotoxic IC82=100 ug/ml	<i>Planta Medica</i> , 57: A113, 1991.
Deiodinase-Inhibitor	Jim Duke's personal files.
Diaphoretic?	Lawrence Review of Natural Products, Dec-90.
Differentiator 5.5 uM	
Estrogenic 10% genistein	
Fungicide	
Glucosyl-Transferase-Inhibitor ID50=120 ug/ml	
HIV-RT-Inhibitor IC50=<1 ug/ml	Nakane, H., Fukushima, M., and Ono*, K. Differential Inhibition Of Reverse Transcriptase And Various DNA Polymerases By Digallic Acid And Its Derivatives. <i>Journal of Natural Products</i> , 53(5): 1234-1240, 1990.
Hemostat	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Hepatomagenic 5,000 ppm (diet) rat	<i>Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention</i> . Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Hepatoprotective	
Hypoglycemic 100 mg/kg orl rat	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Inotropic	
Insulinogenic	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Juvabional	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Larvostat 8,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Lipoxygenase-Inhibitor IC11=1.25 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. <i>J. Agric. Food Chem.</i> 38: 688-690.
Lipoxygenase-Inhibitor IC50=0.1-5 uM	
MAO-A-Inhibitor	
MMP-9-Inhibitor 20 uM	
Mast-Cell-Stabilizer	
Metal-Chelator (Copper)	Seidel, V., Verholle, M., Malard, Y., Tillequin, F., Fruchart, J-C., Duriez, P., Bailleul, F., Teissier, E. 2000. Phenylpropanoids from <i>Ballota nigra</i> L. Inhibit in vitro LDL Peroxidation. <i>Phytotherapy Research</i> , 14(2): 93-98.
Metalloprotease-Inhibitor IC50=>42 uM	
Mutagenic	
NADH-Oxidase-Inhibitor	
NEP-Inhibitor IC50=>42 uM	
NF-kB-Inhibitor	
NO-Inhibitor IC>50=125 uM	
NO-Inhibitor IC50=20 uM	
NO-Synthase-Inhibitor 5-50 uM	
Neuroprotective 5-25 uM	
Ornithine-Decarboxylase-Inhibitor <10 uM	
P450-Inducer 5 uM	Father Nature's Farmacy: The aggregate of all these three-letter citations.
P450-Inhibitor 50-100 uM	Father Nature's Farmacy: The aggregate of all these three-letter citations.
PGE2-Inhibitor	
PTK-Inhibitor 0.4-24 uM	
Pesticide	
Phospholipase-Inhibitor	
Plasmodicide	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Proliferant	
Prostaglandin-Synthesis-Inhibitor 40 ug/ml	Ibewuike, J. C., Ogungbamila, F. O., Ogundaini, A. O., Okeke, I. N., Bohlin, L. 1997. Antiinflammatory and Antibacterial Activities of C-methylflavonol from <i>Piliostigma thonningii</i> . <i>Phytotherapy Research</i> , 11(4): 281-284.
Protein-Kinase-C-Inhibitor	Naim, M., Zehavi, U., Nagy, S., and Rouseff, R.L. Hydroxycinnamic Acids as Off-Flavor Precursors in Citrus Fruits and Their Products. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.14.
Quinone-Reductase-Inducer 6 uM	Uda, Y., Price, K. R., Williamson, G., Rhodes, M. J. C. 1997. Induction of the Anticarcinogenic Marker Enzyme, Quinone Reductase, in Murine Hepatoma Cells In Vitro by Flavonoids. <i>Cancer Lett.</i> , 120 (2): 213-216.
Quinone-Reductase-Inducer 13 uM	
TNF-alpha-Inhibitor IC50=3.11 uM	
Teratologic	

IC50=12.8 ug/ml

Topoisomerase-I-Inhibitor
IC50=42 uM

Topoisomerase-II-
Inhibitor IC50=1-6.9 ug/ml

Topoisomerase-II-
Inhibitor IC50=23-40 uM

Tumorigenic 0.1% diet orl
rat/yr Jim Duke's personal files.

Tyrosinase-Inhibitor
ID50=70 uM

Tyrosine-Kinase-Inhibitor Economic & Medicinal Plant Research, 6: 170.

VEGF-Inhibitor

Vasodilator

Xanthine-Oxidase-
Inhibitor IC50=>0.4 ug/ml Chem. & Pharm. Bull. 38: 1772.

Xanthine-Oxidase-
Inhibitor IC50=10.6 ug/ml

Xanthine-Oxidase-
Inhibitor 3.1 uM

cAMP-
Phosphodiesterase-
Inhibitor Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

iNOS-Inhibitor IC50=20
uM

RESIN	Bark	--	--	*
SCYLLITOL	Flower	--	--	*
TANNIN	Bark	--	30000.0 -0.97	*

Activities (35)

Anthelmintic

AntiHIV

Antibacterial

Anticancer

Anticariogenic

Antidiarrheic

Antidysenteric

Antihepatotoxic

Antihypertensive

Antilipolytic

Antimutagenic

Antinephritic Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Antiphidic Economic & Medicinal Plant Research, 5: 363.

Antioxidant
IC50=1.44 ug/ml

Antioxidant 1/3
quercetin

Antiradicular 500
mg/kg/day orl mus Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Antiradicular 1/3
quercetin

Antirenitic Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Antitumor

Antitumor-Promoter

Antiulcer

Antiviral

Cancer-Preventive HerbalGram No. 22 - Spring 1990, page 14.

Carcinogenic

Chelator

Cyclooxygenase-
Inhibitor

Glucosyl-
Transferase-Inhibitor

Hepatoprotective

Immunosuppressant

Lipoxygenase-
Inhibitor

MAO-Inhibitor

Ornithine-
Decarboxylase-
Inhibitor

Pesticide

Psychotropic Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

URSOLIC-ACID	Plant	--	--	*
Activities (89)				
Analgesic				
AntiEBV	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.			
AntiHIV IC50=6.5 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.			
AntiHIV IC85=18 ug/ml				
AntiHIV 6.7 uM				
AntiTGF-beta IC50=6-7.5 uM				
Antialzheimeran	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.			
Antiarrhythmic				
Antiarthritic	Planta Medica, 57: A56, 1991.			
Antibacterial				
Anticancer	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.			
Anticancer (Colon)	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.			
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.			
Anticariogenic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Anticholestatic 28-100 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. Phytotherapy Research 6: 74-79, 1992.			
Anticomplement IC100 0.1 mM/l gpg	Hanse, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.			
Anticomplement IC80-90 0.05 mM/l gpg	Hanse, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.			
Antidiabetic	Chemical Constituents of Oriental Herbs (3 diff. books)			
Antiedemic				
Antiescherichic				
Antifibrosarcomic IC80=10 uM				
Antihepatotoxic 5-20 mg/kg ipr	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. Phytotherapy Research 6: 74-79, 1992.			
Antihistaminic	Tsuruga, T., Chun, Y.-T., Ebizuka, Y., and Sankawa, U. 1991. Biologically Active Constituents of Melaleuca leucadendron: Inhibitors of Induced Histamine Release from Rat Mast Cells. Chem. Pharm. Bull. 39(12): 3276-3278, 1991.			
Antihyperlipidemic				
Antiinflammatory 1/3 indomethacin				
Antiinflammatory IC24=500 mg/kg				
Antileishmanic ED50=20 uM				
Antileukemic IC50=2.5-17.8 ug/ml				
Antilymphomic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			
Antimalarial IC50=28-37 ug/ml				
Antimetastatic IC80=10 uM				
Antimutagenic IC57-80=80 mg/kg				
Antinephritic IC50=6-7.5 uM				
Antioesity?	Internat. J. Oriental Med. 16: 4.			
Antioxidant IC50=10 uM				
Antiperoxidant IC35=200 ug/ml				
Antiplasmodial IC50=28-37 ug/ml				
Antiproliferative IC50=15-20 uM				
Antistaphylococcic				
Antithromboxane IC50=50 uM				
Antitrypanosomic				
Antitumor	Cancer Research, 54: 701, 1994.			
Antitumor (Breast) 0.5% diet				
Antitumor (Breast) IC50=15-20 uM				
Antitumor (Cervix)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.			
Antitumor (Colon)				

Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Stomach) IC50=15-20 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor-Promoter	<i>Planta Medica</i> , 57: A56, 1991.
Antiulcer	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antiviral IC85=18 ug/ml	
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
CNS-Depressant	
COX-2-Inhibitor IC50=130 uM/	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Cardioprotective	
Cardiotonic	
Choleretic 5-20 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Cyclooxygenase-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cytotoxic 50 ppm	
Cytotoxic ED50=3.75 ug/ml	
Cytotoxic 7.2 uM	
Diuretic	
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective 1-100 ug/ml	
Hepatoprotective 10 mg/kg	
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypotensive	
Immunomodulator	
Leucocytogenic	
Lipoxygenase-Inhibitor IC50=0.18 mM	
MMP-9-Inhibitor IC80=10 uM	
Ornithine-Decarboxylase-Inhibitor	
Pesticide	
Piscicide	
Potassium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
Protease-Inhibitor IC85=18 ug/ml	
Protistocide	<i>Chemical Express</i> , 7: 285, 1992.
Quinone-Reductase-Inducer 5 ug/ml	Lee, S. K., Song, Y., Mata-Greenwood, E., Kelloff, G.J., Steele, V. E., Pezzuto, J. M. 1999. Modulation of in vitro Biomarkers of the Carcinogenic Process by Chemopreventive Agents. <i>Anticancer Res.</i> , 19: 35-44.
Sodium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
TOPO-2-Inhibitor	
Trypanocide	
Vasopressor	

VERBENALIN Bark -- -- *

Activities (7)

Abortifacient	
CNS-Stimulant	
Cathartic ED50=110 mg/kg	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Coagulant	
Parasympathicomimetic	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Purgative	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Uterotonic	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)